


Discover the World of Professional Extrusion

Flexographic Printing Machine SH-PR2C/4C/6C



Shouman is one of the leading providers of blown film machinery and complete plastic processing lines. With 25 years of experience, the company has gathered invaluable knowledge in the field of plastic processing. Our major strength in blown film industry is our capability to provide customers with complete solutions, starting from complete packaging systems, and ending up with green house film and agrifilm lines. Our design and manufacturing technologies are streamlined to enhance reliability, cost effectiveness, and productivity.



3D Computer Aided Design enhances reliability and robustness.



Optimized die design ensures uniform flow distribution.

Global Presence

Global operation requires global thinking, different markets need different strategies. Selling machinery around the world while keeping customers satisfied takes a lot of organization and clear vision. Listening to our customers and understanding their needs are our key tools for boosting our global presence. Throughout the past 25 years our machinery have reached more than 24 countries in Africa, Asia, and Europe.



Technical Specifications

Model		SH-PR2CW65	SH-PR4CW80	SH-PR6CW80
No. of Colors		2	4	6
Max. Web Width		650 mm	800 mm	800 mm
Max. Print Width		600 mm	750 mm	750 mm
Print Length (adjustable)		200 - 750 mm	200 - 800 mm	200 - 750 mm
Heaters		7 kW	15 kW	15 kW
Main Motor		2 hp	5 hp	5 hp
Blower		1.5 hp	2 X 5 hp	2 X 5 hp
Max. Roll Diameter		700 mm	700 mm	700 mm
Max. Machine Speed		60 m/min	100 m/min	100 m/min
Printing Options		2/1+1	4/1+3/2+2	6/1+5/2+4/3+3
Dimensions	Length	1950 mm	4500 mm	4500 mm
	Width	1500 mm	1750 mm	1750 mm
	Height	2000 mm	3000 mm	3000 mm

Advantages

- Capable of printing on PP - PE and paper.
- Hot & cold supply of air ensures quick & excellent printing quality.
- Guaranteed film stability by removing the same amount of air.
- Continuous movement of the ink by means of a hydraulic motor prevents ink dryness.
- Automatically stop at the roll end.
- The anilox printing roll with high accuracy (250 mesh) to insure high quality printing.

Options

- Digital counter for printed film with a capability of stopping the machine after a pre-set production quantity.
- Web guiding system.



Shouman Company
8. El-Gaish Street,
Borg El-Mohafza
El-Mansoura, Egypt
Tel. +2 050 230 0200
Fax +2 050 230 0600
info@shouman.com
www.shouman.com